

Centuria International®
#21-02, International Plaza
10, Anson road, Singapore 079903.
Reg No - 53129871W
Mobile: +65 9223 9254
www.natureplus.asia



Product Catalogue for paper's



Copy papers

Nature Plus (Eco friendly paper)

Product range-
80 Gsm, 75gsm, 70gsm
A4, A3, A2



Nature Plus

Environmental friendly papers

Eco friendly papers

- > Made from sustainable material, a natural waste material.
- > Paper Jam Free.
- > Elementally free of Toxic chemicals.
- > Engineered specifically for use in high-speed copiers, printers and plain paper Fax machines.

Nature Plus uses leading bio-fuel machines & paper producing technology to become the ONLY wheat paper to meet world standards for ECO pulp and ECO processing.

Centuria International Singapore

Address : 10 #21-02, Anson Road,
International Plaza,
Singapore 079903.

Contact : +65 9223 9254

E-mail : info@natureplus.asia

Product Range

> 80 GSM Copier (Size 21 x 29.70 Cms)

500 Sheets per Ream

5 Reams per Carton

8000 Reams in 1X20' FCL Container (Without Pallets)

> 75 GSM Copier (Size 21 x 29.70 Cms)

500 Sheets per Ream

5 Reams per Carton

8000 Reams in 1X20' FCL Container (Without Pallets)

> 70 GSM Copier (Size 21 x 29.70 Cms)

500 Sheets per Ream

5 Reams per Carton

8000 Reams in 1X20' FCL Container (Without Pallets)

< Contact

www.natureplus.asia



Brilliant Laser paper

SPECIFICATIONS-

Grammage:80gsm,70gsm

Sheet Size:210mm x 297mm, International Size A4

Quality: Imported 100% Virgin Wood Pulp COLOUR:

WHITE RED,BLUE ,YELLOW Colour: Natural White

Capability: High Speed Copying>100ppm, Laser

Capable, Inkjet Capable, Fax Capable, Low opacity,

High smoothness, Extreme low jam rate 1/3500,

High whiteness, Easy to use, Low dust

* Price on inquiry



IK Copy paper

SPECIFICATIONS-

Grammage:80gsm,70gsm

Sheet Size:210mm x 297mm, International Size A4

Quality: Imported 100% Virgin Wood Pulp COLOUR:

WHITE RED,BLUE ,YELLOW Colour: Natural White

Capability: High Speed Copying>100ppm, Laser

Capable, Inkjet Capable, Fax Capable, Low opacity,

High smoothness, Extreme low jam rate 1/3500,

High whiteness, Easy to use, Low dust



IK Plus

SPECIFICATIONS-

Grammage:80gsm,75 gsm

Sheet Size:210mm x 297mm, International Size A4

Quality: Imported 100% Virgin Wood Pulp COLOUR:

WHITE RED,BLUE ,YELLOW Colour: Natural White

Capability: High Speed Copying>100ppm, Laser

Capable, Inkjet Capable, Fax Capable, Low opacity,

High smoothness, Extreme low jam rate 1/3500,

High whiteness, Easy to use, Low dust



Art Paper- From Indonesia

Specifications:-

Hi-Kote C2S Gloss

PRODUCT RANGE : 128 - 270 gsm

APPLICATIONS : Premium Promotional Materials, Top Quality Magazines, Annual Reports, Books, Greeting Cards, Calendars, Catalogues, Shopping Bags, Direct Mail, etc.

PRINTING METHODS : Offset, Rotogravure, Flexography, Letterpress

FORMAT : Sheets & Rolls

Grammage	140	148	150	157	170	180	190
Basis Weight (g/m ²)	140±5	148±5	150±5	157±6	170±6	180±6	190±7
Thickness (µm)	120±4	128±4	130±4	135±4	146±5	154±5	164±5
Thickness (pt)	4.7±0.2	5.0±0.2	5.1±0.2	5.3±0.2	5.7±0.2	6.1±0.2	6.5±0.2
Opacity (%)	98.0±1.5	98.0±1.5	98.0±1.5	98.5±1.5	98.5±1.5	98.5±1.5	98.5±1.5
Gloss (%)	70±5	70±5	70±5	70±5	70±5	70±5	70±5
Roughness (µm)	≤1.1	≤1.1	≤1.1	≤1.1	≤1.1	≤1.1	≤1.1
Grammage	200	210	216	230	250	270	
Basis Weight (g/m ²)	200±8	210±8	216±9	230±9	250±9	270±10	
Thickness (µm)	173±5	183±5	187±6	210±6	225±6	244±6	
Thickness (pt)	6.8±0.2	7.2±0.2	7.4±0.2	8.3±0.2	8.9±0.2	9.6±0.2	
Opacity (%)	98.5±1.5	98.5±1.5	98.5±1.5	98.5±1.5	98.5±1.5	98.5±1.5	
Gloss (%)	70±5	70±5	70±5	70±5	70±5	65±5	
Roughness (µm)	≤1.1	≤1.1	≤1.2	≤1.2	≤1.2	≤1.4	
Brightness (%)	88.5 ± 1.5						

PHYSICAL STRENGTHS : Acid-free, superior gloss, smooth finishes, exquisite soft surface combined with good readability, blue-white shade, excellent printing strength.

***Measurement**

Basis Weight	ISO536
Thickness	ISO534
Opacity	ISO2471
Brightness	ISO2470
Gloss	T480
Roughness	ISO8791/4

Hi-Kote C2S Matt

PRODUCT RANGE : 128 - 270 gsm

APPLICATIONS : Premium Promotional Materials, Top Quality Magazines, Annual Reports, Books, Greeting Cards, Calendars, Catalogues, Children Books, Direct Mail, etc.

PRINTING METHODS : Offset, Flexography, Letterpress

FORMAT : Sheets & Rolls

	140	148	150	157	170	180	190
Grammage							
Basis Weight (g/m ²)	140±5	148±5	150±5	157±6	170±6	180±6	190±6
Thickness (µm)	137±4	146±4	148±4	155±4	168±5	178±5	188±5
Thickness (pt)	5.4±0.2	5.7±0.2	5.8±0.2	6.1±0.2	6.6±0.2	7.0±0.2	7.4±0.2
Opacity (%)	98.0±1.5	98.0±1.5	98.0±1.5	98.5±1.5	98.5±1.5	98.5±1.5	98.5±1.5
Grammage	200	210	216	230	250	270	
Basis Weight (g/m ²)	200±8	210±8	216±8	230±9	250±9	270±10	
Thickness (µm)	200±5	210±5	216±5	230±6	250±6	270±6	
Thickness (pt)	7.9±0.2	8.3±0.2	8.5±0.2	9.1±0.2	9.8±0.2	10.4±0.2	
Opacity (%)	98.5±1.5	98.5±1.5	98.5±1.5	98.5±1.5	98.5±1.5	98.0±1.5	
Brightness (%)	88.5 ± 1.5						
Gloss (%)	30±5						
Roughness (µm)	≤2.5						

PHYSICAL STRENGTHS : Acid-free, silky smooth finishes, exquisite soft surface combined with good readability, blue-white shade, excellent printing strength.

Hi-Kote C1S Art Paper

PRODUCT RANGE : 140 - 190 gsm

APPLICATIONS : Premium Promotional Materials, Book Covers, Shopping Bags, Posters, Post Cards, Greeting Cards, etc.

PRINTING METHODS : Offset, Rotogravure, Flexography, Letterpress


FORMAT : Sheets & Rolls

	140	148	170	190
Grammage				
Basis Weight (g/m ²)	140±5	148±5	170±6	190±6
Thickness (µm)	135±4	143±4	175±5	197±6
Thickness (pt)	5.3±0.2	5.6±0.2	6.9±0.2	7.8±0.2
Gloss (%)	65±5	65±5	60±5	60±5
Brightness (%)	88.5 ± 1.5			
Opacity (%)	98.0±1.5			
Roughness (µm)	≤1.2			

PHYSICAL STRENGTHS : Acid-free, superior gloss, smooth finishes, exquisite soft surface combined with good readability, blue-white shade, excellent printing strength.

News Print and Wood free

News print from USA




Wood free offset laser paper is available

Newsprint Specifications Standard News			
	43gsm	45gsm	48.8gsm
Grammage (gsm)	43.0 ± 5%	45.0 ± 5%	48.8 ± 5%
Caliper (um)	80 ± 10%	82 ± 10%	88 ± 10%
Smoothness (um)	4 ± 10%	4 ± 10%	4 ± 10%
Brightness (%)	55 ± 2	55 ± 2	55 ± 2
Opacity (%)	93 ± 2	94 ± 2	95 ± 2
MD tensile (kg/15mm)	4 ± 10%	4 ± 10%	4.2 ± 10%
Moisture (%)	8.5 ± 10%	8.5 ± 10%	8.5 ± 10%

All samples must be conditioned to 23C ± 1C and 50% ± 2% relative humidity before testing according to standard procedure T 402

Basis Weight:	T 410
Brightness:	ISO 2470-2:2008
Opacity:	T 519
Caliper:	T 411
Smoothness:	T 555 (980 kPa clamping pressure)
Tensile:	T 494
Moisture:	T 412

Duplex Boards

	DOUBLE COATING	Min 20 gsm	blade
	TOP LAYER		NBKP + LBKP
	UNDER LAYER		DEINKING ONP
	FILLER LAYER		ONP / OMG
	BACK LAYER		ONP

GRAMMAGE g/m ² T 410 om - 02	CD (gf.cm)	MD (gf.cm)	STIFFNESS TABER 15° CD (mNm) MD (mNm) T 489 om - 04	THICKNESS μm ISO 534 : 1988 (E)
230 ± 4 %	33	55	3.2 5.4	285 (+10/-12)
250 ± 4 %	44	83	4.3 8.1	310 (+10/-12)
270 ± 4 %	55	105	5.4 10.2	340 (+10/-12)
310 ± 4 %	77	132	7.6 13.0	395 (+10/-12)
350 ± 4 %	99	187	9.7 18.4	445 (+10/-12)
400 ± 4 %	121	264	11.9 25.9	520 (+10/-12)

Tolerance for Stiffness : ± 10%

MOISTURE CONTENT T 412 om - 02	%	6.5 ± 1	TYPICAL END USES Carton sector : Normal Packages, Matchboxes, Pharmaceutical, Textiles Specialties : High Printability RECOMMENDED PRINTING METHODS Offset Letterpress
ROUGHNESS PPS (1.0 MPa), T 555 om - 04 (TOP SIDE)			
GRAMMAGE (g/m ²)	AVERAGE (μm)	TOLERANCE (μm)	
230 - 400	2.2	Max 2.8	
GLOSS 75° T 480 om - 05	Top	%	50 ± 5
BRIGHTNESS (ISO) ISO 2470	Top	%	83 ± 1

	DOUBLE COATING	Min 20 gsm	Blade
	TOP LAYER		Deinking + NBKP
	UNDER LAYER		Deinking
	FILLER LAYER		ONP + Broke
	BACK LAYER		ONP

Grammage (g/m ²) T 410 om - 02	Stiffness Taber 15° T 489 om - 04				Thickness (μm) ISO 534 : 1988 (E)
	CD (gf.cm)	MD (gf.cm)	CD (mNm)	MD (mNm)	
250 ± 4%	30	61	2.9	5.9	295 (+10/-12)
270 ± 4%	40	77	3.9	7.6	325 (+10/-12)
310 ± 4%	55	106	5.4	10.4	385 (+10/-12)
350 ± 4%	77	150	7.6	14.7	435 (+10/-12)

Tolerance for Stiffness : ± 10%

PROPERTY

Roughness		
310 - 350 gsm	Average	2.2 μm
PPS (1.0 MPa) T 555 om - 04	Tolerance	Max 3.0 μm
Gloss 75 ° (T 480 om - 05)	%	Top 50 ± 5
Brightness ISO 2470	%	Top 80 ± 1
Moisture Content (T 412 om - 02)	%	7.0 ± 0.5

APPLICATIONS

Carton Sector : High Quality Detergent Packaging, Matchboxes.

PRINTING METHOD

Offset, Letterpress.

PROPERTY

Roughness		
310 - 350 gsm	Average Tolerance	2.2 μ m Max 3.0 μ m
PPS (1.0 MPa) T 555 om - 04		
Gloss 75 ° (T 480 om - 05)	%	Top 50 \pm 5
Brightness ISO 2470	%	Top 80 \pm 1
Moisture Content (T 412 om - 02)	%	7.0 \pm 0.5
Internal Bond Strength (SCOTT) T 569 pm - 00		Min 130 J/m ²
Water Absorption COBB ₆₀ T 441 om - 04		Top 35-55 g/m ²

APPLICATIONS

Carton Sector : High Quality Detergent Packaging, Matchboxes.

PRINTING METHOD

Offset, Letterpress.

Memo cubes



Hard cover Note books



Spiral book



General School stationary- * *Wide range*



University Books



Drawing Books



Writing Pad



Writing pad



Design paper



Diary



Desk Planner



Register roll



Envelopes



Plotter paper



Computer Forms- * Wide range (please inquire)



Computer Paper 9¹/₂" X 11"

Serial No.	Product Code	Description	Sheets/ Box	Min.Order Qty (Box)	Box/ 20 fcl	CBM Box
240	SF0001	1 Ply Plain White	2000	100	2235	0.0132
241	SF0002	2 Ply Plain (White + White) - NCR	1000	100	2235	0.0132
242	SF0003	3 Ply Plain (White + White + White) - NCR	500	100	3050	0.0098
243	SF0004	4 Ply Plain (White + White + White + White) - NCR	500	100	2235	0.0132
244	SF0005	1 Ply Green Bar White	2000	100	2235	0.0132
245	SF0006	2 Ply Green Bar (White + White) - NCR	1000	100	2235	0.0132
246	SF0007	3 Ply Green Bar (White + White + White) - NCR	500	100	3050	0.0098
247	SF0008	4 Ply Green Bar (White + White + White + White) - NCR	500	100	2235	0.0132
248	SF0009	2 Ply Plain (White + Pink) - NCR	1000	100	2235	0.0132
249	SF0010	3 Ply Plain (White + Pink + Yellow) - NCR	500	100	3050	0.0098
250	SF0011	4 Ply Plain (White + Pink + Yellow + Green) - NCR	500	100	2235	0.0132
251	SF0011/C1	4 Ply Plain (White + Pink + Yellow + Blue) - NCR	500	100	2235	0.0132

Computer Paper 15⁵/₁₆" X 11"

Serial No.	Product Code	Description	Sheets/ Box	Min.Order Qty (Box)	Box/ 20 fcl	CBM Box
252	SF0012	1 Ply Plain White	2000	100	1430	0.0207
253	SF0013	2 Ply Plain (White + White) - NCR	1000	100	1430	0.0207
254	SF0014	3 Ply Plain (White + White) - NCR	500	100	1940	0.0154
255	SF0015	4 Ply Plain (White + White + White + White) - NCR	500	100	1430	0.0207
256	SF0016	1 Ply Green Bar White	2000	100	1430	0.0207
257	SF0017	2 Ply Green Bar (White + White) - NCR	1000	100	1430	0.0207
258	SF0018	3 Ply Green Bar (White + White + White) - NCR	500	100	1940	0.0154
259	SF0019	4 Ply Green Bar (White + White + White + White) - NCR	500	100	1430	0.0207
260	SF0020	2 Ply Plain (White + Pink) - NCR	1000	100	1430	0.0207
261	SF0021	3 Ply Plain (White + Pink + Yellow) - NCR	500	100	1940	0.0154
262	SF0022	4 Ply Plain (White + Pink + Yellow + Green) - NCR	500	100	1430	0.0207

Computer Paper 14 1/2" X 11"

** Please inquire wide range*

Computer Paper 14 7/8 X 11"

Computer Paper 15" X 11"

Exercise Books – (Wide range- please inquire)



Exercise Book (without PVC)

Serial No.	Product Code	Description	Size (cm)	No. of Sheets	Pcs/ Pack	Pcs / Box	Min.Order Qty (Box)	Box / 20 fcl	CBM Box
82	EB02116*	Exercise Book 5 mm Square Ruling	21 x 16	100	6	120	400	672	0.038
83	EB02841*	Exercise Book Single Line Ruling	21 x 16	40	12	192	400	924	0.028
84	EB02360	Exercise Book Single Line Ruling	21 x 16	50	12	192	250	756	0.033
85	EB02972*	Exercise Book Single Line Ruling	21 x 16	60	12	192	400	672	0.042
86	EB02359*	Exercise Book Single Line Ruling	21 x 16	80	6	120	400	756	0.034
87	EB02353	Exercise Book Single Line Ruling	21 x 16	100	6	120	250	672	0.040
88	EB02357	Exercise Book 10 mm Square Ruling	21 x 16	100	6	120	250	672	0.042
89	EB02890	Exercise Book 10 mm Square Ruling	21 x 16	50	12	192	250	756	0.036
90	EB0276253*	Exercise Book 15 mm Square Ruling	21 x 16	100	6	120	400	672	0.042
91	EB02358	Exercise Book 20 mm Square Ruling	21 x 16	100	6	96	250	840	0.034
92	EB02354	Exercise Book 4 Line Ruling	21 x 16	100	6	120	250	672	0.042
93	EB02749	Exercise Book 4 Line Ruling	21 x 16	50	12	192	250	756	0.036
94	EB0276252*	Exercise Book 4 Line + PTP Ruling	21 x 16	100	6	120	400	672	0.042
95	EB02356	Exercise Book PTP Ruling	21 x 16	100	6	120	250	672	0.042
96	EB02355	Exercise Book 2 Line Ruling	21 x 16	100	6	120	250	672	0.038
97	EB0276153	Exercise Book 2 Line Ruling	21 x 16	50	12	192	250	756	0.036
98	EB02378	Exercise Book Plain	21 x 16	100	6	120	250	672	0.038


Standard Writing pad



Standard Writing Pad & City Design

Serial No.	Product Code	Description	Size (cm)	No. of Sheets	Pcs/ Pack	Pcs / Box	Min.Order Qty (Box)	Box/ 20 fcl	CBM Box
9	PD06087	Standard SINARLINE A5	14.5 x 21	80	10	120	100	846	0.032
10	PD06111	Standard SINARLINE A4	21 x 29.7	80	10	60	100	846	0.032
11	PD06047	City Design A4	21 x 29.7	80	10	60	100	810	0.031
12	PD06144	City Design A4	21 x 29.7	50	10	120	100	660	0.042

Office Stationary (General) - * Wide Range – please inquire



Office Stationery (General)

Serial No.	Product Code	Description	Size (cm)	No. of Sheets	Pcs/ Pack	Pcs / Box	Min.Order Qty (Box)	Box/ 20 fcl	CBM Box
20	H802037	Dispatch Book (Peon Book)	14.5 x 20	96	10	80	50	686	0.036
21	PD04057	Flip Chart 90g Paper Plain - A1	58.5 x 81	25	1	12	50	984	0.023
22	PD04060	Flip Chart 90g Paper 1" Square - A1	58.5 x 81	25	1	12	50	984	0.023
23	PD06223*	Petty Cash Voucher Pad + UV	14.8 x 10.5	80	6	240	350	656	0.043
24	PD06090	A6 Message Pad White	10.5 x 14.5	80	12	216	50	680	0.037
25	H802885*	Stock Register FS with Index 4QR	33 x 21	192	2	16	330	656	0.036
26	H802886*	Muster Roll Attendance Register	33 x 21	104	3	24	360	720	0.028

Spiral Note Book



Spiral Notebook

Serial No.	Product Code	Description	Size (cm)	No. of Sheets	Pcs/ Pack	Pcs / Box	Min.Order Qty (Box)	Box / 20 fcl	CBM Box
29	SP03053	Top Spiral (Memo) A7	7.6 x 11.2	80	10	600	80	576	0.050
30	SP03511	Top Spiral (Memo) A7 with Display Box	7.6 x 11.2	50	72	576	80	768	0.035
31	SP03512	Top Spiral Notebook A6 with Display Box	10.5 x 14.8	50	48	288	80	840	0.031
32	SP03846	Top Spiral A4	21 x 29.7	70	6	60	100	860	0.029
33	SP03851	Side Spiral A4 Spiral Notebook	29.7 x 21	70	6	60	100	860	0.031
34	SP03847	Side Spiral (9" x 7")	22.8 x 17.7	70	6	96	100	770	0.033
35	SP03888	Top Spiral (7" x 9")	17.7 x 22.8	70	6	96	80	770	0.033
36	SP03887*	Top Spiral (8" x 10")	20.3 x 25.4	70	6	72	420	830	0.031
37	SP03932*	Side Spiral (10" x 8")	25.4 x 20.3	70	6	72	420	830	0.031
38	SP03068	Side Cont. Spiral A4 - Square 5mm	29.7 x 21	70	6	60	430	860	0.031
39	SP03069	Top Cont. Spiral A4 - Square 5mm	21 x 29.7	70	6	60	430	860	0.031

* 1 TERM AND CONDITION APPLY

Hard cover Books



Register, Cash & Ledger Book

Serial No.	Product Code	Description	Size (cm)	No. of Sheets	Pcs/ Pack	Pcs / Box	Min.Order Qty (Box)	Box / 20 fcl	CBM Box
44	HBO2030	Register Book F5 2 QR	33 x 21	96	3	30	80	840	0.033
45	HBO2031	Register Book F5 3 QR	33 x 21	144	2	24	80	840	0.033
46	HBO2032	Register Book F5 4 QR	33 x 21	192	2	20	80	840	0.035
47	HBO2033	Register Book F5 6 QR	33 x 21	288	1	18	80	656	0.038
48	HBO2034	Register Book F5 8 QR	33 x 21	384	1	12	80	738	0.056
49	HBO2035	Register Book A4 2 QR	29.7 x 21	96	3	30	80	920	0.030
50	HBO2079	Register Book A4 3 QR	29.7 x 21	144	2	24	80	920	0.031
51	HBO2083	Register Book A4 4 QR	29.7 x 21	192	2	24	80	752	0.038
52	HBO2078	Register Book 10"X 8" 2 QR	25.4 x 20.3	96	3	36	80	848	0.032
53	HBO2061	Register Book 10"X 8" 3 QR	25.4 x 20.3	144	3	30	80	848	0.032
54	HBO2086	Register Book 10"X 8" 4 QR	25.4 x 20.3	192	3	24	80	848	0.031
55	HBO2080	Register Book 9"X 7" 2 QR	22.5 x 17.5	96	3	60	80	760	0.036
56	HBO2084	Register Book 9"X 7" 3 QR	22.5 x 17.5	144	3	48	80	760	0.032
57	HBO2115	Register Book 9"X 7" 4 QR	22.5 x 17.5	192	2	32	80	860	0.031
58	HBO2085	Register Book A5 2 QR	21 x 14.8	96	3	72	80	819	0.034
59	HBO2082	Register Book A6 2 QR	14.8 x 10.5	96	2	120	80	980	0.025
60	HBO2878*	Cash Book 3 Col 2 QR	33 x 21	96	3	24	360	720	0.039
61	HBO2879*	Cash Book 3 Col 3 QR	33 x 21	144	2	16	420	840	0.031
62	HBO2880*	Cash Book 3 Col 4 QR	33 x 21	192	2	12	420	840	0.039
63	HBO2881*	Ledger Book with Index F5 2 QR 3 C	33 x 21	96	3	24	360	720	0.039
64	HBO2882*	Ledger Book with Index F5 3 QR 3 C	33 x 21	144	2	16	420	840	0.028
65	HBO2883*	Ledger Book with Index F5 4 QR 3 C	33 x 21	192	2	12	420	840	0.028
66	HBO2884*	Arabic Cash Book 3 Col 104's	22.5 x 17.5	104	3	48	300	600	0.039

Ruled paper & multi purpose paper




Ruled Paper & Multi Purpose Paper

Serial No.	Product Code	Description	Size (cm)	No. of Sheets	Pcs/ Pack	Pcs / Box	Min.Order Qty (Box)	Box / 20 fcl	CBM Box
67	RP01690	Ruled Paper Folded F/5	33 x 21	320	1	10	100	1340	0.018
68	RP01021	Ruled Paper Folded F/5	33 x 21	400	1	10	100	1150	0.025
69	RP01022	Ruled Paper Unfolded F/5	33 x 21	400	1	10	100	1150	0.025
70	LL0475246	Multi Purpose Paper with Tray	21 x 29.7	500	1	8	100	1125	0.024
71	LL0475291	Multi Purpose Paper Color	21 x 29.7	250	1	10	100	1280	0.019


Thermal Paper rolls



NCR papers



Impression 2000



CARBONLESS PAPERS OFFERS A WIDE RANGE
COMBINING EXCELLENT PRINTING
PERFORMANCE WITH GOOD COPY INTENSITY

No.	Product	Image	Colour
	CB	Black-Blue	White- Pink- Yellow- Green- Blue
	CFB	Black-Blue	White- Pink- Yellow- Green- Blue
	CF	No Image	White- Pink- Yellow- Green- Blue

We have paper products from Mitsubishi and other manufacturers. Please inquire with your requirements.

Thank you.